
















































Monitor		Article no.
	Wöhler VIS 400 Color Monitor Scope of delivery Wöhler VIS 400 color monitor, protective bag with glare shield and shoulder belt, Mini-USB-cable, 4 GB SD-Card, power supply, plastic case	4781 J
Wöhler VIS Camera Heads		Article no.
	Wöhler Camera Head Ø 26 mm colour detachable, flexible connection to the camera rod with leather protection bag	8920 J
	Wöhler Camera Head Ø 40 mm colour detachable, pan and tilt, flexible connection to camera rod with leather protection bag	8930 J
Domes for Wöhler VIS Camera Heads		Article no.
	Replacement Plastic Domes for Camera Head Ø 40mm 10 pcs.	3675 J
	Glass Dome for Camera Head Ø 40 mm	3674 J
Protection Sleeves		Article no.
	Protection Sleeve for Camera Head Ø 40 mm with cut-out	2641 J
	Guidance Sleeve for Camera head Ø 26 mm	3827 J
	Guidance Sleeve with protection cage for camera head Ø 26 mm	3847 J
Telescope		Article no.
	Wöhler Telescopic Tube 1.6 m with flexible gooseneck for all camera heads, length of the telescopic tube 0.9 – 1.6 m plus gooseneck 0.3 m	7005 O
	Wöhler Telescopic Tube 3.4 m with flexible gooseneck for all camera heads, length of the telescopic tube 0.9 – 3.4 m plus gooseneck 0.3 m	7024 J

Cable Reel		Article no.
	Cable reel with digital meter counter	
	20 m camera cable	6310 J
	30 m camera cable	4166 J
	Wöhler Camera Cable with metric marking	
	20 m	9172 J
	30 m	7812 J
	50 m without metric marking	7845 J
	Wöhler Extension cable with metric marking	
	30 m	8048 J
10 m	8636 J	
30 m	8048 J	
Camera Vipers		Article no.
	Wöhler Camera Viper Ø 6 mm with digital meter counter, belt holder and stand	
	20 m push rod	7308 J
	30 m push rod	7336 J
	Wöhler Camera Viper Ø 6.5 mm with digital meter counter, belt holder and stand	
	20 m push rod	7302 J
	30 m push rod	7301 J
	Wöhler Camera Viper Ø 7 mm with digital meter counter, belt holder and stand	
	20 m push rod	7309 J
	30 m push rod	7307 J
Accessories		Article no.
	Lowering aid for camera cable & ropes extendable from 22 – 40 cm	5706 I
	Power Supply approx. charge time 3 hours, EU-adaptor only	3789 K
	Power Supply approx. charge time 3 hours, with adaptors for all countries	4798 K
	Car charger 18 V for all VIS with 7" display	3169 J

Components for Wöhler VIS Camera Heads Ø 26 mm		Article no.
	Guidance set 70 for camera head Ø 26 mm guidance sleeve with protection cage (art.3847), centering brush (art.3850)	3883 J
	Guidance Sleeve for camera head Ø 26 mm	3827 J
	Guidance Sleeve with protection cage for camera head Ø 26 mm	3847 J
	Wöhler VIS Centering Brush for all camera rods, can be fixed directly behind the camera head Ø 20 cm	3850 J
	Wöhler Light Ring 26/40, detachable for detachable camera heads Ø 26 mm and Ø 40 mm with 18 white LEDs, Ø 53 mm outer	8894 J
Components for Wöhler VIS Camera Heads Ø 40 mm		Article no.
	Guidance set 100 for camera head Ø 40 mm protection sleeve with cut-out (art. 2641) , roller guide (art.3681) and centering brush (art.3854)	4240 J
	Protection Sleeve for Camera Head Ø 40 mm with cut-out	2641 J
	Camera Roller Guide suitable for camera heads and rods	3681 J
	Wöhler Centering Brush for all camera rods, can be fixed at any position of the camera rod Ø 20 cm	3854 J
	Wöhler Light Ring 26/40, detachable for detachable camera heads Ø 26 mm and Ø 40 mm with 18 white LEDs, Ø 53 mm outer	8894 J
	Relining Adapter for VIS 3xx (only detachable version) and VIS 400 for reverse view	6888 J
	Glass Dome for Wöhler camera head Ø 40 mm	3674 J
	Replacement Plastic Domes (10 pcs.) for Wöhler camera head Ø 40 mm	3675 J

Components for all Wöhler VIS Camera Heads		Article no.
	Wöhler L 200 Locator scope of delivery: Wöhler L 200 Locator, plastic case, USB power supply with micro USB cable, grease crayon (12 pcs. box, yellow), telescopic rod, headphones	7430 J
	Wöhler VIS Camera Trolley set consisting of Wöhler VIS Camera Trolley, camera head holder, storage bag, stabilization sleeve for light ring 26/40, stabilization sleeve for adaptation of push rods with threaded connection M10	4753 J
	Camera Spring Guide for camera cables prevents the camera head from turning and swinging inside the chimney	7092 J
	Camera Holder for reverse view	3720 J
	Stabilization Sleeve Ø 35 x 82 mm; to stabilize the connection between camera push rod and camera head	3590 J
	Stabilization Sleeve Ø 35 x 107 mm; to stabilize the connection between camera push rod and camera head	3591 J
	Guidance Weight to let down the camera head (e.g. in a chimney) 740 g, stainless steel	3857 J
	Guidance Ball for flex part of camera push rod, improves ability to go through bends	3634 J
	Centering Brush for all camera rods, can be fixed directly behind the camera head Ø 20 cm	3850 J
	Centering Brush for all camera rods, can be fixed at any position of the camera rod Ø 20 cm	3854 J
	Centering Brush Extension to extend centering brush (art. 3854) Ø 20 cm	3853 J
	Stabilization Tube to connect centering brush art. 3854 & extension art. 3853	21736 J
	Spare Brushes for centering brush 24 pcs.	3858 J
Cleaning Sets		Article no.
	Wöhler VIS Cleaning set in plastic case for approx. 50 applications scope of delivery: 1 liter disinfection spray, 50 cleaning tissues, 100 disposable gloves size XL (powder free), 200 ml lubricant, plastic case	4725 I
	Wöhler VIS Cleaning set in plastic bag for approx. 50 applications scope of delivery: 1 liter disinfection spray, 50 cleaning tissues, 100 disposable gloves size XL (powder free), 200 ml lubricant, plastic bag	4726 O

Measuring Instruments
Flue Gas Analysis

Measuring Instruments
Heating

Measuring Instruments
Building/Ventilation

HD-Visual Inspection

Visual Inspection

Duct Cleaning

Chimney Cleaning

GTC/Notes/Index